

## COVER PAGE FOR TEST REPORT

Product Category:	Power Supplies for Information Technology Equipment Including Electrical Business Equipment
Product Category CCN:	QQGQ, QQGQ7
Test Procedure:	Listing
Product:	Switching Power Supply
Model/Type Reference:	BP*050*05***, BP*050*06***, BP*050*09***, BP*050*12***, BP*050*15***, BP*050*16***, BP*050*18***, BP*050*24***, BP*050*48***, BP*060*05***, BP*060*06***, BP*060*09***, BP*060*12***, BP*060*15***, BP*060*16***, BP*060*18***, BP*060*24***, BP*060*48***, *ENB1050*05****, *ENB1050*06****, *ENB1050*09****, *ENB1050*12****, *ENB1050*15****, *ENB1050*16****, *ENB1050*18****, *ENB1050*24****, *ENB1050*48****, *ENB1060*05****, *ENB1060*06****, *ENB1060*09****, *ENB1060*12****, *ENB1060*15****, *ENB1060*16****, *ENB1060*18****, *ENB1060*24****, *ENB1060*48**** (Where * may be alphanumeric, "for marketing purpose and no impact safety related critical components and constructions")
Rating(s):	For model BP*050 series and *ENB1050 series; Input Rating: 100-240 Vac, 50-60 Hz, 1.5 A Output Rating: 5 Vdc, 6 A or 6 Vdc, 5 A or 9 Vdc, 5 A or 12 Vdc, 4.2 A or 15 Vdc, 3.36 A or 16 Vdc, 3.15 A or 18 Vdc, 2.8 A or 24 Vdc, 2.1 A or 48 Vdc, 1.1 A.  For model BP*060 series and *ENB1060 series; Input Rating: 100-240 Vac, 50-60 Hz, 1.5 A Output Rating: 5 Vdc, 7 A or 6 Vdc, 6 A or 9 Vdc, 6 A or 12 Vdc, 5 A or 15 Vdc, 4 A or 16 Vdc, 3.7 A or 18 Vdc, 3.4 A or 24 Vdc, 2.7 A or 48 Vdc, 1.35 A.
Standards:	UL 60950-1, 2nd Edition, 2007-03-27 (Information Technology Equipment - Safety - Part 1: General Requirements) CSA C22.2 No. 60950-1-07, 2nd Edition, 2007-03 (Information Technology Equipment - Safety - Part 1: General Requirements)
Applicant Name and Address:	BRIDGEPOWER CORP 964 GOSAEK-DONG GWONSEON-GU SUWON-SI GYEONGGI-DO 441-813 KOREA

Issue Date: 2009-08-26  
Correction 1 2010-02-26

Page 2 of 3

Report Reference #

E300305-A40-UL-1

This Report includes the following parts, in addition to this cover page:

1. Specific Technical Criteria
2. Test Results

Issue Date: 2009-08-26  
Correction 1 2010-02-26

Page 3 of 3

Report Reference #

E300305-A40-UL-1

This is to certify that representative samples of the products covered by this Test Report have been investigated in accordance with the above referenced Standards. The products have been found to comply with the requirements covering the category and the products are judged to be eligible for Follow-Up Service under the indicated Test Procedure. The manufacturer is authorized to use the UL Mark on such products which comply with this Test Report and any other applicable requirements of Underwriters Laboratories Inc. ('UL') in accordance with the Follow-Up Service Agreement. Only those products which properly bear the UL Mark are considered as being covered by UL's Follow-Up Service under the indicated Test Procedure.

The applicant is authorized to reproduce the referenced Test Report provided it is reproduced in its entirety.

Any information and documentation provided to you involving UL Mark services are provided on behalf of Underwriters Laboratories Inc(ULI) or any authorized license of ULI.

Test Report By:



Byeong-Uk Lee  
Associate Project Engineer  
UL Korea, Ltd.

Reviewed By:



Hyeong-Kyun Park  
Project Engineer  
UL Korea, Ltd.