



Ref. Certif. No.

DK-19647

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST
CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE)
CB SCHEME

SYSTEME CEI D'ACCEPTATION MUTUELLE DE CERTIFICATS
D'ESSAIS DES EQUIPEMENTS ELECTRIQUES (IECEE)
METHODE OC

**CB TEST CERTIFICATE
CERTIFICAT D'ESSAI OC**

Product
Produit

I.T.E. Power Supply

Name and address of the applicant
Nom et adresse du demandeur

**BRIDGEPOWER CORP
964 GOSAEK-DONG GWONSEON-GU
SUWON-SI GYEONGGI-DO 441-813 KOREA**

Name and address of the manufacturer
Nom et adresse du fabricant

**BRIDGEPOWER CORP
964 GOSAEK-DONG GWONSEON-GU
SUWON-SI GYEONGGI-DO 441-813 KOREA**

Name and address of the factory
Nom et adresse de l'usine

See appendix

Note: When more than one factory, please report on page 2
Note: Lorsque il y plus d'une usine, veuillez utiliser la 2^{me} page

Ratings and principal characteristics
Valeurs nominales et caractéristiques principales

100-240 Vac, 50-60 Hz, 2.5 A., IP X1, Class I

Trademark (if any)
Marque de fabrique (si elle existe)



See appendix

Model / Type Ref.
Ref. De type

Additional information (if necessary may also be reported
on page 2)
Les informations complémentaires (si nécessaire, peuvent
être indiqués sur la 2^{me} page)

**Also investigated to EN 60950-1:2006+A11:2009
Testing done under the Testing at Manufacturer's Premises
(TMP) procedure. Output Rating: see appendix**

A sample of the product was tested and found
to be in conformity with
Un échantillon de ce produit a été essayé et a été
considéré conforme à la

**PUBLICATION
IEC 60950-1:2005**

**EDITION
2nd**

As shown in the Test Report Ref. No. which forms part of
this Certificate
Comme indiqué dans le Rapport d'essais numéro de
référence qui constitue partie de ce Certificat

E300305-A52-CB-1 issue date 2010-08-04

This CB Test Certificate is issued by the National Certification Body
Ce Certificat d'essai OC est établi par l'Organisme **National de Certification**



Date:
2010-08-04

UL International Demko A/S
Lyskaer 8, P.O. Box 514, DK-2730 Herlev, Denmark
Tel: +45 44856565, Fax: +45 44856500

Signature

Jan-Erik Storgaard
Certification manager

Model:

BP(a)*150(b)*(c)**(d)*(e)**

(a) Family Related Designs: X is A-Z

(b) Output: X is S (S=Single)

(c) Output Voltage: 12, 15, 18, 24

(d) Standard Input Cord Options

F : (Class I - IEC320-C14),

(e) Custom Options (Marking, Cord etc.) Number : 00 thru 99, non-safety related options

BP(a)*131(b)*(c)**(d)*(e)**

(a) Family Related Designs: X is A-Z

(b) Output: X is S (S=Single)

(c) Output Voltage: 12, 15, 18, 24

(d) Standard Input Cord Options

F : (Class I - IEC320-C14),

(e) Custom Options (Marking, Cord etc.) Number : 00 thru 99, non-safety related options

BP(a)*121(b)*(c)**(d)*(e)**

(a) Family Related Designs: X is A-Z

(b) Output: X is S (S=Single)

(c) Output Voltage: 12, 15, 18, 24

(d) Standard Input Cord Options

F : (Class I - IEC320-C14),

(e) Custom Options (Marking, Cord etc.) Number : 00 thru 99, non-safety related options

(a)*ENB1150(b)*(c)**(d)**(e)*(f)**

(a) Family Related Designs : X is A-Z

(b) Design Revision Changes: A to Z (Standard)

(c) Output Voltage: 12, 15, 18, 24

(d) Standards Output Cord Options: Number : 00 thru 99

(e) Standard Input Cord

F : (Class I = IEC320-C14)

(f) Custom Options (Marking, Cord etc.) Number : 00 thru 99, non-safety related options

Additional information (if necessary)
Information complémentaire (si nécessaire)



Date:
2010-08-04

UL International Demko A/S

Lyskaer 8, P.O. Box 514, DK-2730 Herlev, Denmark
Tel: +45 44856565, Fax: +45 44856500

Signature:



Jan-Erik Storgaard
Certification manager

(a)*ENB1131(b)*(c)**(d)**(e)*(f)**
 (a) Family Related Designs : X is A-Z
 (b) Design Revision Changes: A to Z (Standard)
 (c) Output Voltage: 12, 15, 18, 24
 (d) Standards Output Cord Options: Number : 00 thru 99
 (e) Standard Input Cord
 F : (Class I = IEC320-C14)

(f) Custom Options (Marking, Cord etc.) Number : 00 thru 99, non-safety related options

(a)*ENB1121(b)*(c)**(d)**(e)*(f)**
 (a) Family Related Designs : X is A-Z
 (b) Design Revision Changes: A to Z (Standard)
 (c) Output Voltage: 12, 15, 18, 24
 (d) Standards Output Cord Options: Number : 00 thru 99
 (e) Standard Input Cord
 F : (Class I = IEC320-C14)
 (f) Custom Options (Marking, Cord etc.) Number : 00 thru 99, non-safety related options

Output Rating:

Output Rating:

Model/output	12V	15V	18V	24V
150W				
(BPM150)(XENB1150)	12.5A	10A	8.3A	6.25A
130W				
(BPM131)(XENB1131)	10.8A	8.67A	7.2A	5.4A
120W				
(BPM121)(XENB1121)	10A	8A	6.67A	5A

(See the enclosure for details for output rating)

Factories:

BRIDGEPOWER CORP
964 GOSAEK-DONG
GWONSEON-GU
SUWON-SI GYEONGGI-DO 441-813 KOREA

WENDENG JEIL ELECTRONICS CO LTD
DONG SHOU GUANGZHOU LU
KAIFA-QU
WENDENG-SHI SHANDONG CHINA

Additional information (if necessary)
 Information complémentaire (si nécessaire)



Date: 2010-08-04

UL International Demko A/S
 Lyskaer 8, P.O. Box 514, DK-2730 Herlev, Denmark
 Tel: +45 44856565, Fax: +45 44856500

Signature:



Jan-Erik Storgaard
 Certification manager