



Ref. Certif. No.

DK-14557-A1

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST
CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE)
CB SCHEME

SYSTEME CEI D'ACCEPTATION MUTUELLE DE CERTIFICATS
D'ESSAIS DES EQUIPEMENTS ELECTRIQUES (IECEE)
METHODE OC

CB TEST CERTIFICATE CERTIFICAT D'ESSAI OC

Product
Produit

Switching Power Supply

Name and address of the applicant
Nom et adresse du demandeur

**BRIDGEPOWER CORP
964 GOSAEK-DONG GWONSEON-GU
SUWON-SI GYEONGGI-DO 441-813 KOREA**

Name and address of the manufacturer
Nom et adresse du fabricant

**BRIDGEPOWER CORP
964 GOSAEK-DONG GWONSEON-GU
SUWON-SI GYEONGGI-DO 441-813 KOREA**

Name and address of the factory
Nom et adresse de l'usine

See appendix

Note: When more than one factory, please report on page 2
Note: Lorsque il y plus d'une usine, veuillez utiliser la 2^{me} page

Ratings and principal characteristics
Valeurs nominales et caractéristiques principales

100-240 Vac, 50-60 Hz, 1.2 A, IP X0, Class II

Trademark (if any)
Marque de fabrique (si elle existe)

None

Model / Type Ref.
Ref. De type

See appendix

Additional information (if necessary may also be reported
on page 2)
Les informations complémentaires (si nécessaire, peuvent
être indiqués sur la 2^{me} page)

See appendix

A sample of the product was tested and found
to be in conformity with
Un échantillon de ce produit a été essayé et a été
considéré conforme à la

PUBLICATION

EDITION

IEC 60950-1:2001

1st

As shown in the Test Report Ref. No. which forms part of
this Certificate
Comme indiqué dans le Rapport d'essais numéro de
référence qui constitue partie de ce Certificat

E300305-A18-CB-1 Amendment 2 issue date 2009-01-23

This CB Test Certificate is issued by the National Certification Body
Ce Certificat d'essai OC est établi par l'Organisme **National de Certification**



Date:
2009-02-03

UL International Demko A/S
Lyskaer 8, P.O. Box 514, DK-2730 Herlev, Denmark
Tel: +45 44856655, Fax: +45 44856500

Signature:

Jan-Erik Storgaard
Certification manager

Additional information:

This is an amendment to DK-14557 issue date 2008-11-19 due to additional tests and added model names. Testing done under the Testing at Manufacturer's Premises (TMP) procedure. Also investigated to EN 60950-1:2001

Model/Type Reference:

JPW140**05****, JPW140**09****, JPW140**12****,
JPW140**15****, JPW140**18****, JPW140**24****,
JPW140**48****, PW153**05****, PW153**09****,
PW153**12****, PW153**15****, PW153**18****, PW153**24****,
PW153**48****, JMW140**05****, JMW140**09****,
JMW140**12****, JMW140**15****, JMW140**18****,
JMW140**24****, JMW140**48****, MW153**05****,
MW153**09****, MW153**12****, MW153**15****,
MW153**18****, MW153**24****, MW153**48**** (Where * may be
alphanumeric, "for marketing purpose and no impact safety related
critical components and constructions")

Production Sites:

BRIDGEPOWER CORP
964 GOSAEK-DONG
GWONSEON-GU
SUWON-SI GYEONGGI-DO 441-813 KOREA

WENDENG JEIL ELECTRONICS CO LTD
DONG SHOU GUANGZHOU LU KAIFA-QU
WENDENG-SHI SHANDONG CHINA

Additional information (if necessary)
Information complémentaire (si nécessaire)



Date: 2009-02-03

UL International Demko A/S

Lyskaer 8, P.O. Box 514, DK-2730 Herlev, Denmark
Tel: +45 44856565, Fax: +45 44856500

Signature

Jan-Erik Storgaard
Certification manager



Ref. Certif. No.

DK-10496-A2

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST
CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE)
CB SCHEME

SYSTEME CEI D'ACCEPTATION MUTUELLE DE CERTIFICATS
D'ESSAIS DES EQUIPEMENTS ELECTRIQUES (IECEE)
METHODE OC

CB TEST CERTIFICATE CERTIFICAT D'ESSAI OC

Product
Produit

Switching Power Supply

Name and address of the applicant
Nom et adresse du demandeur

**BRIDGEPOWER CORP
964 GOSAEK-DONG GWONSEON-GU
SUWON-SI GYEONGGI-DO 441-813 KOREA**

Name and address of the manufacturer
Nom et adresse du fabricant

**BRIDGEPOWER CORP
964 GOSAEK-DONG GWONSEON-GU
SUWON-SI GYEONGGI-DO 441-813 KOREA**

Name and address of the factory
Nom et adresse de l'usine

See appendix

Note: When more than one factory, please report on page 2
Note: Lorsque il y plus d'une usine, veuillez utiliser la 2^{me} page

Ratings and principal characteristics
Valeurs nominales et caractéristiques principales

100-240 Vac, 50-60 Hz, 1.2 A, IP X0, Class I

Trademark (if any)
Marque de fabrique (si elle existe)

None

Model / Type Ref.
Ref. De type

See appendix

Additional information (if necessary may also be reported
on page 2)
Les informations complémentaires (si nécessaire, peuvent
être indiqués sur la 2^{me} page)

See appendix

A sample of the product was tested and found
to be in conformity with
Un échantillon de ce produit a été essayé et a été
considéré conforme à la

PUBLICATION

EDITION

IEC 60950-1:2001

1st

As shown in the Test Report Ref. No. which forms part of
this Certificate
Comme indiqué dans le Rapport d'essais numéro de
référence qui constitue partie de ce Certificat

E300305-A18-CB-1 Amendment 2 issue date 2009-01-23

This CB Test Certificate is issued by the National Certification Body
Ce Certificat d'essai OC est établi par l'Organisme **National de Certification**



UL International Demko A/S

Lyskaer 8, P.O. Box 514, DK-2730 Herlev, Denmark
Tel: +45 44856565, Fax: +45 44856500

Date:

2009-02-03

Signature:

Jan-Erik Storgaard
Certification manager

Additional information:

This is an amendment to DK-10496-M1 issue date 2008-11-19 due to additional tests and added model names. Testing done under the Testing at Manufacturer's Premises (TMP) procedure. Also investigated to EN 60950-1:2001

Model/Type Reference:

JPW140**05****, JPW140**09****, JPW140**12****,
JPW140**15****, JPW140**18****, JPW140**24****,
JPW140**48****, PW153**05****, PW153**09****,
PW153**12****, PW153**15****, PW153**18****, PW153**24****,
PW153**48****, JMW140**05****, JMW140**09****,
JMW140**12****, JMW140**15****, JMW140**18****,
JMW140**24****, JMW140**48****, MW153**05****,
MW153**09****, MW153**12****, MW153**15****,
MW153**18****, MW153**24****, MW153**48**** (Where * may be
alphanumeric, "for marketing purpose and no impact safety related
critical components and constructions")

Production Sites:

BRIDGEPOWER CORP
964 GOSAEK-DONG
GWONSEON-GU
SUWON-SI GYEONGGI-DO 441-813 KOREA

WENDENG JEIL ELECTRONICS CO LTD
DONG SHOU GUANGZHOU LU KAIFA-QU
WENDENG-SHI SHANDONG CHINA

Additional information (if necessary)
Information complémentaire (si nécessaire)



Date: 2009-02-03

UL International Demko A/S

Lyskaer 8, P.O. Box 514, DK-2730 Herlev, Denmark
Tel: +45 44856565, Fax: +45 44856500

Signature

Jan-Erik Storgaard
Certification manager

COVER PAGE FOR TEST REPORT

Test Item Description:	Switching Power Supply
Model/Type Reference:	JPW140**05****, JPW140**09****, JPW140**12****, JPW140**15****, JPW140**18****, JPW140**24****, JPW140**48****, PW153**05****, PW153**09****, PW153**12****, PW153**15****, PW153**18****, PW153**24****, PW153**48****, JMW140**05****, JMW140**09****, JMW140**12****, JMW140**15****, JMW140**18****, JMW140**24****, JMW140**48****, MW153**05****, MW153**09****, MW153**12****, MW153**15****, MW153**18****, MW153**24****, MW153**48**** (Where * may be alphanumeric, "for marketing purpose and no impact safety related critical components and constructions")
Rating(s):	Input Rating: 100-240 Vac, 50-60 Hz, 1.2 A Output Rating: 5.0 Vdc, 5.0 A or 9.0 Vdc, 4.0 A or 12.0 Vdc, 3.4 A or 15.0 Vdc, 2.7 A or 18.0 Vdc, 2.2 A or 24.0 Vdc, 1.7 A or 48.0 Vdc, 0.83 A
Standards:	IEC 60950-1:2001, First Edition
Applicant Name and Address:	BRIDGEPOWER CORP 964 GOSAEK-DONG GWONSEON-GU SUWON-SI GYEONGGI-DO 441-813 KOREA
Factory Location(s):	BRIDGEPOWER CORP 964 GOSAEK-DONG GWONSEON-GU SUWON-SI GYEONGGI-DO 441-813 KOREA WENDENG JEIL ELECTRONICS CO LTD DONG SHOU GUANGZHOU LU KAIFA-QU WENDENG-SHI SHANDONG CHINA
This Report includes the following parts, in addition to this cover page: <ol style="list-style-type: none">1. Specific Technical Criteria2. Clause Verdicts	
The original report was modified on 2009-01-23 to include the following changes/additions: Amendment 2, 09CA05061 - LIMITED POWER SOURCE MEASUREMENTS Test was conducted for 5.0 Vdc output. - Add model names, JMW140***** and MW153*****.	
All applicable tests according to the above standard(s) have been carried out. Test results are valid only for the tested equipment. This Test Report can be reproduced only in whole. Amendments and corrections can be reproduced only with the original CB Test Report. Written permission from UL International Demko A/S is required if the test report is copied in part.	



Test Report issued under
the responsibility of:



UL International Demko A/S

**TEST REPORT
IEC 60950-1, First Edition
Information technology equipment-Safety
Part 1: General Requirements**

Report Reference No : E300305-A18-CB-1
Date of issue : 2006-11-16
Total number of pages : 10

CB Testing Laboratory : UL Korea, Ltd.
Address : #805, Manhattan Building, 36-2 Yeouido-Dong, Yeongdeungpo-Gu,
Seoul 150-749, Korea

Applicant's name : BRIDGEPOWER CORP
964 GOSAEK-DONG
Address : GWONSEON-GU
SUWON-SI GYEONGGI-DO 441-813 KOREA

Test specification:

Standard : IEC 60950-1:2001, First Edition
Test procedure : CB Scheme
Non-standard test method : N/A

Test Report Form No. : IEC60950_1B
Test Report Form originator : SGS Fimko Ltd
Master TRF : dated 2003-03

Copyright © 2005 IEC System for Conformity Testing and Certification of Electrical Equipment (IECEE), Geneva, Switzerland. All rights reserved.

This publication may be reproduced in whole or in part for non-commercial purposes as long as the IECEE is acknowledged as copyright owner and source of the material. IECEE takes no responsibility for and will not assume liability for damages resulting from the reader's interpretation of the reproduced material due to its placement and context.

If this test Report is used by non-IECEE members, the IECEE/IEC logo shall be removed.

This report is not valid as a CB Test Report unless signed by an approved CB Testing Laboratory and appended to a CB Test Certificate issued by an NCB in accordance with IECEE 02.

Test item description	Switching Power Supply
Trade Mark	None
Model/Type reference	JPW140**05****, JPW140**09****, JPW140**12****, JPW140**15****, JPW140**18****, JPW140**24****, JPW140**48****, PW153**05****, PW153**09****, PW153**12****, PW153**15****, PW153**18****, PW153**24****, PW153**48****, JMW140**05****, JMW140**09****, JMW140**12****, JMW140**15****, JMW140**18****, JMW140**24****, JMW140**48****, MW153**05****, MW153**09****, MW153**12****, MW153**15****, MW153**18****, MW153**24****, MW153**48**** (Where * may be alphanumeric, "for marketing purpose and no impact safety related critical components and constructions")
Manufacturer	BRIDGEPOWER CORP 964 GOSAEK-DONG GWONSEON-GU SUWON-SI GYEONGGI-DO 441-813 KOREA
Rating	Input Rating: 100-240 Vac, 50-60 Hz, 1.2 A Output Rating: 5.0 Vdc, 5.0 A or 9.0 Vdc, 4.0 A or 12.0 Vdc, 3.4 A or 15.0 Vdc, 2.7 A or 18.0 Vdc, 2.2 A or 24.0 Vdc, 1.7 A or 48.0 Vdc, 0.83 A