

Certificate



Certificate no.

T 72061537 07

License Holder:

SL Power Electronics Corp.
7105 Northland Terrace
Minneapolis MN 55428
USA

Manufacturing Plant:

SL Power Electronics Xianghe
Anping Economic and
Technical Developing Zone

065402 Xianghe County, Hebei
China

Test report no.: USA-JAK 30680992 020

Client Reference: Tim Cassidy

Tested to: EN 60950-1:2001+A11

Certified Product: Power Supply

License Fee - Units

Addition:

Model Designation: PW156X1X2X3X3X4X4X5X6X6
(X1, X2 = A-Z; X3X3 = 12, 15, 18, 24,
X4, X6 = 0-9; X5 = N)


Rated Voltage: 1) AC 100V/120-240V; 50-60Hz (X3X3 = 12)
2) AC 100-240V; 50-60Hz (X3X3 = 15, 18, 24)

Rated Current: 2.0A

Protection Class: II

contd.

Licensed Test mark:



Signatures

Date of Issue

(day/mo/yr)

18/03/2008

Stephan Schmitt
President

Dipl.-Ing. M. Glagla
QA Certification Officer

Certificate



Certificate no.

T 72061537 08

License Holder:

SL Power Electronics Corp.
7105 Northland Terrace
Minneapolis MN 55428
USA

Manufacturing Plant:

SL Power Electronics Xianghe
Anping Economic and
Technical Developing Zone

065402 Xianghe County, Hebei
China

Test report no.: USA-JAK 30680992 020

Client Reference: Tim Cassidy

Tested to: EN 60950-1:2001+A11

Certified Product: Power Supply

License Fee - Units


contd.

Output Ratings DC: 1) DC 12V, 5.8A or 12V, 6.3A (X3X3 = 12);
2) DC 15V, 5.0A (X3X3 = 15);
3) DC 18V, 4.2A (X3X3 = 18);
4) DC 24V, 3.1A (X3X3 = 24)

Special Remarks: X1, X2, X4, X5 and X6 stand for customer specific options. X3X3 represents output voltage.

Appendix: 1, 1-3

Licensed Test mark:



Signatures

**Date of Issue
(day/mo/yr)**

18/03/2008

Stephan Schmitt
President

Dipl.-Ing. M. Glagla
QA Certification Officer