

DEMKO CERTIFICATE

Certificate No. D-02141
Page 1/3
Date of Issue 2013-01-22

Certificate Holder SL POWER ELECTRONICS CORP
BLDG A
6050 KING DR
VENTURA, CA 93003 United States

Manufacturer SL POWER ELECTRONICS CORP
BLDG A
6050 KING DR
VENTURA, CA 93003 United States

Production site POWERLD ENTERPRISES CO LTD GUANG MING BRANCH
XINMEI INDUSTRIAL PARK GUANGMING ST
BAOAN
SHENZHEN, 518107 GUANGDONG China

Certified Product Model Power Supply
GECA20-X-YYYG
Trademark See Page 2

 **CONDOR**

Rated Voltage / Frequency See Page 2

Rated Current / Power See Page 2

Insulation Class I

Degree of protection (IP) X0

Tested acc. to EN 60950-1:2006/A11:2009, EN 60950-1:2006/A12:2011, EN 60950-1:2006/A1:2010, EN 60950-1:2006

Test Report No. E135803-A53-CB-3 issued on 2013-01-21

Additional

Expire date 2023-01-22

Certification Manager
Jan-Erik Storgaard

Certification Body

The product and production sites listed on the certificate comply with the D-mark requirements and the UL Global Service Agreement, with reference to Terms and Conditions for the D mark. The Owner of the certificate is entitled to use the d or for cables <DEMKO>, for the products listed on the certificate and manufactured at the production sites listed. UL has to be informed in writing about any changes to the product or production site in accordance with the Term and Conditions of the D mark. The validity of the certificate is shortened if the EU legislation require re-testing and re-certification due to new standards or amendments coming into force before the expiry date.

**UL International Demko A/S, Borupvang 5A, DK-2750
Ballerup, Denmark, Tel. +45 44 85 65 65,
info.dk@ul.com
www.ul-europe.com**



Appendix DEMKO CERTIFICATE

Certificate No. D-02141
Page 2/3
Date of Issue 2013-01-22

Model Details:

GECA20-X-YYYYG where X is any number from 5 through 24, and maybe followed by YYY which is any number 001 to 999.

Ratings:

Input:

100-240 V ac, 0.5 A, 50/60 Hz

Output:

Minimum 5 Vdc to maximum 24 Vdc, and minimum 0.84 A to maximum 4A.

The units output Volts dc and Ampere ratings will vary, and will not exceed 20 W. See below for examples of standard output models:

GECA20-5-YYYYG 5 V dc/4.0 A

GECA20-12-YYYYG 12 V dc/1.67 A

GECA20-15-YYYYG 15 V dc/1.34 A

GECA20-24-YYYYG 24 V dc/0.84 A

External Certification Information:

The certificate has been issued on the basis of CB certificate No.US-20669-UL, issued by UL (US) dated 2013-01-22.

Additional Information:

This Certificate replace earlier issued D-mark certificate No. 153198-01, issued on 2010-12-17 due to upgrade standard.


Certification Body

**UL International Demko A/S, Borupvang 5A, DK-2750
Ballerup, Denmark, Tel. +45 44 85 65 65,
info.dk@ul.com
www.ul-europe.com**



Appendix DEMKO CERTIFICATE

Certificate No. D-02141
Page 3/3
Date of Issue 2013-01-22



Certification Body

UL International Demko A/S, Borupvang 5A, DK-2750
Ballerup, Denmark, Tel. +45 44 85 65 65,
info.dk@ul.com
www.ul-europe.com

