



Sheet Metal Covers on Open Frame Linear Power Supplies AN-130



Condor does not provide any covers for any of its standard line of linear power supplies for thermal reasons. If a cover is required, we suggest a thermal analysis be performed to determine the best size, shape, air ducting and fan cooling that may be required. A strong wire mesh screen type cover will keep fingers out and let heat out, while keeping radiated emissions inside.

As a general rule, linear power supplies running anywhere near their full load ratings will run hot and some may require fan cooling. Adding a cover to a linear could restrict the natural convection or fan cooling and make the supply run hotter. The expected lifetime of some component is directly related to temperature. As temperature increases, expected lifetime decreases. We suggest the power supply chassis temperature does not exceed 90 degrees C for extended periods of time.



North America

SL Power Electronics Headquarters

6050 King Drive
Ventura, CA 93003
Phone: 800-235-5929
Fax: 805-832-6135
Email: info@slpower.com

Experience Center - East Coast USA Sales

607 Neponset Street
Canton, MA 02121
Phone: 800-235-5929
Fax: 805-832-6135
Email: info@slpower.com

Europe

Sales & Engineering Office
c/o Davall Gears Ltd
Travellers Lane, Welham Green
Hatfield, Hertfordshire AL9 7JB UK
Phone: +44 (0) 1769 581311
Fax: +44 (0) 1769 612763
Email: euinfo@slpower.com

Asia

Sales & Engineering Office
Fourth Floor Building 53
1089 Qing Zhou Road North
Shanghai, China 200233
Phone: +86 21 64857422
Fax: +866 21 64857433
Email: infor@slpower.com

SLpower.com

