


Ripple Measurement Techniques AN-110

SL Power Application Note






Todd power supplies are designed to meet the ripple and pard requirements of current systems. You do not need complicated setups or equipment. Our specification includes the effect of both, differential and common mode components. There are only two precautions to take into account.


Figure 1. To avoid ground loops, separate the oscilloscope ground from the power supply under test.

Figure 2. To avoid EMI pick up, keep the probe no more than .5" long.



PROBE & TERMINALS

Figure 2





North America

SL Power Electronics Headquarters
6050 King Drive
Ventura, CA 93003
Phone: 800-235-5929
Fax: 805-832-6135
Email: info@slpower.com

Experience Center - East Coast USA Sales
607 Neponset Street
Canton, MA 02121
Phone: 800-235-5929
Fax: 805-832-6135
Email: info@slpower.com

Europe

Sales & Engineering Office
c/o Davall Gears Ltd
Travellers Lane, Welham Green
Hatfield, Hertfordshire AL9 7JB UK
Phone: +44 (0) 1769 581311
Fax: +44 (0) 1769 612763
Email: euinfo@slpower.com

Asia

Sales & Engineering Office
Fourth Floor Building 53
1089 Qing Zhou Road North
Shanghai, China 200233
Phone: +86 21 64857422
Fax: +866 21 64857433
Email: infor@slpower.com

SLpower.com   